



WOODBURG

WoodBerg is a team of like-minded professionals.

Welcome to the world of quality parquet from WoodBerg!

Our parquet craftsmen are distinguished by their passion for wood and impeccable craftsmanship. We create parquet flooring that will transform your home, adding warmth, style and comfort.

■ We want to offer you mutually beneficial cooperation.

Our company offers a wide range of products:

- European oak lamellas
- Ash lamellas
- Heat-treated oak lamellas
- Heat-treated ash lamellas
- Oak three-layer engineered parquet
- Heat-treated oak three-layer sandwich for flooring
- Frieze from European oak for
- Plywood





Oak Lamel

100-120 thousand m²
per month

02



Three-layer engineering floorboard

12 thousand m² per month

03



Ash lamella

50 thousand m² per month

04



Plywood

800 m³ per month

05



The total thickness	13.0 mm
Top layer (oak)	3.0 mm
Middle layer (oak)	8.0 mm
Bottom layer (spruce, birch)	2.0 mm

Thickness, mm	Width, mm	Length, mm	Select	Nature	Rustic
13	160	1600/1800/2000/2200/2400/2600/2800			
13	180	1600/1800/2000/2200/2400/2600/2800			
13	200	1600/1800/2000/2200/2400/2600/2800			
13	220	2000/2200/2400/2600/2800			
13	250	2000/2200/2400/2600/2800			

*Contact us for the latest price

**Price depends on volume



The total thickness	14.0 mm
Top layer (oak)	4.0 mm
Middle layer (oak)	8.0 mm
Bottom layer (spruce, birch)	2.0 mm

Thickness, mm	Width, mm	Lengt, mm	Select	Nature	Rustic
14	160	1600/1800/2000/2200/2400/2600/2800			
14	180	1600/1800/2000/2200/2400/2600/2800			
14	200	1600/1800/2000/2200/2400/2600/2800			
14	220	2000/2200/2400/2600/2800			
14	250	2000/2200/2400/2600/2800			

*Contact us for the latest price

**Price depends on volume



The total thickness	15.0 mm
Top layer (oak)	4.0 mm
Middle layer (oak)	9.0 mm
Bottom layer (spruce, birch)	2.0 mm

Thickness, mm	Width, mm	Length, mm	Select	Nature	Rustic
15	160	1600/1800/2000/2200/2400/2600/2800			
15	180	1600/1800/2000/2200/2400/2600/2800			
15	200	1600/1800/2000/2200/2400/2600/2800			
15	220	2000/2200/2400/2600/2800			
15	250	2000/2200/2400/2600/2800			

*Contact us for the latest price

**Price depends on volume



The total thickness	13.0 mm
Top layer (ash)	3.0 mm
Middle layer (ash)	8.0 mm
Bottom layer (oak, birch)	2.0 mm

Thickness, mm	Width, mm	Lengt, mm	Select	Rustic
13	160	1600/1800/2000/2200/2400/2600/2800		
13	180	1600/1800/2000/2200/2400/2600/2800		
13	200	1600/1800/2000/2200/2400/2600/2800		
13	220	2000/2200/2400/2600/2800		
13	250	2000/2200/2400/2600/2800		

*Contact us for the latest price

**Price depends on volume



The total thickness	14.0 mm
Top layer (ash)	4.0 mm
Middle layer (ash)	8.0 mm
Bottom layer (oak, birch)	2.0 mm

Thickness, mm	Width, mm	Lengt, mm	Select	Rustic
14	160	1600/1800/2000/2200/2400/2600/2800		
14	180	1600/1800/2000/2200/2400/2600/2800		
14	200	1600/1800/2000/2200/2400/2600/2800		
14	220	2000/2200/2400/2600/2800		
14	250	2000/2200/2400/2600/2800		

*Contact us for the latest price

**Price depends on volume



Thickness, mm	Width, mm	Lengt, mm	A	B	R
4,2	186	1000			
		1230			
		1480			
		1525			
		1980			
		2430			
4,2	226	1000			
		1230			
		1480			
		1525			
		1980			
		2430			
4,2	266	1000			
		1230			
		1480			
		1525			
		1980			
		2430			

*Contact us for the latest price

**Price depends on volume

Color palette of parquet board




Pure



Oak




White 5%




Super White




Natural




Cotton White




Olive




Olive Brown



Black




Brown Black



Savanna



Walnut



Charcoal



Smoked Brown




Eggplant




Intense Black




Mystic Brown



Chocolate




Mist 5%




Slate Grey

We are proud to use high-quality Rubio Monocoat oil to stain our parquet boards, which provides a unique finish while preserving the natural texture of the wood. The special feature of Rubio Monocoat oil is its molecular base, which allows it to polymerize with the wood, creating a strong and durable coating, while preserving its natural appearance.



The deck set



The French Christmas tree



The English Christmas tree

Length	2000 - 2800 mm	560/720 mm	620/750/850 mm
Width	160 - 250 mm	140/165 mm	140/160/180 mm
Depth	13/14/15 mm (± 0.5 mm)	13/14/15 mm (± 0.5 mm)	13/14/15 mm (± 0.5 mm)
Wear-resistant layer	3/4 mm (± 0.5 mm) without formaldehyde bonding		

Engineering
parquet
construction



Three-layer with protection against swelling and shrinkage.
Top layer: hardwood;
Middle layer: hardwood;
Bottom layer: coniferous veneer;
Connection: polyurethane.

*This combination makes it possible to achieve the density of parquet

Features



Suitable for underfloor heating



Easy to care for

Types of wood




Oak



Ash



Thermoash



Natural beauty:

We use only high-quality wood raw materials to create parquet that emphasizes the natural beauty of wood.

A wide selection:

WoodBerg offers a wide range of flooring, from classic to modern designs, to meet all your needs.

Strength and durability:

Our products have been thoroughly tested and are guaranteed to serve you for many years.

Environmental friendliness:

We take care of nature and use only environmentally friendly materials.

Make your home cozy with parquet from WoodBerg. Contact us today to learn more about our products and services.





WOODBURG

+38 (050) 310 51 52

+38 (068) 311 51 52

+34 651 400 288

info@woodberg.com.ua



WOODBURG

Woodberg — це група професіоналів — одnodумців.

Вітаємо вас у світі якісного паркету від WoodBerg!

Наших майстрів мистецтва паркету відрізняє пристрасть до дерева та бездоганна майстерність. Ми створюємо паркетну дошку, яка перетворить вашу оселю, додавши до неї тепло, стиль і затишок.

Ми хочемо запропонувати Вам взаємовигідну співпрацю.

Наша компанія пропонує широкий асортимент продукції:

- Ламелі з Європейського дуба
- Ламелі з ясеня
- Термооброблені дубові ламелі
- Термооброблені ламелі з ясеня
- Дубовий тришаровий інженерний паркет
- Термооброблений дуб тришаровий сендвіч для підлоги
- Фриз з європейського дуба для паркету
- Фанера





Дубова Ламель

100-120 тис. м²
на місяць

02



Тришарова інженерна дошка для підлоги

12 тис. м²
на місяць

03



Ламель з ясена

50 тис. м²
на місяць

04



Фанера

800 м³
на місяць

05



Загальна товщина	13.0 mm
Верхній шар (дуб)	3.0 mm
Середній шар (дуб)	8.0 mm
Нижній шар (смерека, береза)	2.0 mm

Товщина, мм	Ширина, мм	Довжина, мм	Select	Nature	Rustic
13	160	1600/1800/2000/2200/2400/2600/2800			
13	180	1600/1800/2000/2200/2400/2600/2800			
13	200	1600/1800/2000/2200/2400/2600/2800			
13	220	2000/2200/2400/2600/2800			
13	250	2000/2200/2400/2600/2800			

*Щоб отримати актуальну ціну зв'яжіться з нами

**Ціна залежить від обсягу



Загальна товщина	14.0 mm
Верхній шар (дуб)	4.0 mm
Середній шар (дуб)	8.0 mm
Нижній шар (смерека, береза)	2.0 mm

Товщина, мм	Ширина, мм	Довжина, мм	Select	Nature	Rustic
14	160	1600/1800/2000/2200/2400/2600/2800			
14	180	1600/1800/2000/2200/2400/2600/2800			
14	200	1600/1800/2000/2200/2400/2600/2800			
14	220	2000/2200/2400/2600/2800			
14	250	2000/2200/2400/2600/2800			

*Щоб отримати актуальну ціну зв'яжіться з нами

**Ціна залежить від обсягу



Загальна товщина	15.0 mm
Верхній шар (дуб)	4.0 mm
Середній шар (дуб)	9.0 mm
Нижній шар (смерека, береза)	2.0 mm

Товщина, мм	Ширина, мм	Довжина, мм	Select	Nature	Rustic
15	160	1600/1800/2000/2200/2400/2600/2800			
15	180	1600/1800/2000/2200/2400/2600/2800			
15	200	1600/1800/2000/2200/2400/2600/2800			
15	220	2000/2200/2400/2600/2800			
15	250	2000/2200/2400/2600/2800			

*Щоб отримати актуальну ціну зв'яжіться з нами

**Ціна залежить від обсягу



Загальна товщина	13.0 mm
Верхній шар (ясень)	3.0 mm
Середній шар (ясень)	8.0 mm
Нижній шар (дуб, береза)	2.0 mm

Товщина, мм	Ширина, мм	Довжина, мм	Select	Rustic
13	160	1600/1800/2000/2200/2400/2600/2800		
13	180	1600/1800/2000/2200/2400/2600/2800		
13	200	1600/1800/2000/2200/2400/2600/2800		
13	220	2000/2200/2400/2600/2800		
13	250	2000/2200/2400/2600/2800		

*Щоб отримати актуальну ціну зв'яжіться з нами

**Ціна залежить від обсягу



Загальна товщина	14.0 mm
Верхній шар (ясень)	4.0 mm
Середній шар (ясень)	8.0 mm
Нижній шар (дуб, береза)	2.0 mm

Товщина, мм	Ширина, мм	Довжина, мм	Select	Rustic
14	160	1600/1800/2000/2200/2400/2600/2800		
14	180	1600/1800/2000/2200/2400/2600/2800		
14	200	1600/1800/2000/2200/2400/2600/2800		
14	220	2000/2200/2400/2600/2800		
14	250	2000/2200/2400/2600/2800		

*Щоб отримати актуальну ціну зв'яжіться з нами

**Ціна залежить від обсягу



Товщина, мм	Ширина, мм	Довжина, мм	A	B	R
4,2	186	1000			
		1230			
		1480			
		1525			
		1980			
		2430			
4,2	226	1000			
		1230			
		1480			
		1525			
		1980			
		2430			
4,2	266	1000			
		1230			
		1480			
		1525			
		1980			
		2430			

*Щоб отримати актуальну ціну зв'яжіться з нами

**Ціна залежить від обсягу


Кольорова палітра паркетної дошки




Pure




Oak




White 5%




Super White




Natural




Cotton White




Olive




Olive Brown



Black




Brown Black




Savanna




Walnut




Charcoal



Smoked Brown




Eggplant




Intense Black




Mystic Brown



Chocolate




Mist 5%




Slate Grey


Ми пишаємося тим, що для фарбування нашої паркетної дошки ми використовуємо високоякісну олію Rubio Monocoat, яка забезпечує унікальне покриття, зберігаючи при цьому натуральну текстуру дерева. Особливістю олії Rubio Monocoat є її молекулярна основа, яка дає змогу полімеризуватися з деревиною, створюючи міцне та довговічне покриття, при цьому зберігаючи її природний вигляд.



Палубний набір



Французька ялинка



Англійська ялинка

Довжина	2000 - 2800 мм	560/720 мм	620/750/850 мм
Ширина	160 - 250 мм	140/165 мм	140/160/180 мм
Товщина	13/14/15 мм (± 0.5 мм)	13/14/15 мм (± 0.5 мм)	13/14/15 мм (± 0.5 мм)
Зносостійкий шар	3/4 мм (±0.5 мм) без формальдегідного склеювання		

Конструкція інженерного паркета



Тришарова із захистом від набухання та усадки.
Верхній шар: з твердих порід деревини;
Середній шар: з твердих порід деревини;
Нижній шар: хвойний шпон;
З'єднання: поліуретанове.

*таке поєднання дає змогу досягти щільності паркету

Особливості



Підходить для обігріву підлоги



Легкий в догляді

Види деревини



Дуб



Ясен



Термоясен



Натуральна краса:

Ми використовуємо тільки високоякісну деревну сировину, щоб створити паркет, який підкреслить природну красу деревини.

Широкий вибір:

WoodBerg пропонує широкий асортимент паркетної дошки, від класичних до сучасних дизайнів, щоб задовольнити всі ваші потреби.

Міцність і довговічність:

Наші вироби пройшли ретельне тестування і гарантовано прослужать вам довгі роки.

Екологічність:

Ми дбайливо ставимося до природи і використовуємо тільки екологічно чисті матеріали.

Зробіть свій дім затишним за допомогою паркету від WoodBerg. Зв'яжіться з нами вже сьогодні, щоб дізнатися більше про наші товари та послуги.





WOODBURG

+38 (050) 310 51 52

+38 (068) 311 51 52

+34 651 400 288

info@woodberg.com.ua